



ICELANDIC Trailers



FAUTRAS
EQUESTRE

OLYMPIUM ICELANDIC et OBLIC ICELANDIC

Icelandic trailer for 2, 3, 4 or 5 horses with diagonal transport for comfort. Specially designed for Icelandic horses. Its lowered height offers better aerodynamics.

The front right door gives access to a spacious tack room to store your equipment, bridles and saddles.

Standard equipment : large aerators and sliding windows for optimized ventilation, polypropylene side kick panels, spare wheel, interior light, internal and external fasteners, anti-theft in the coupling head, 2 rear doors, large front tack room, "Icelandic" separation bars,

Available options : hubcaps, spacing rail with gastrut, rear stop light, customized logo, flexible partitions, removable feeders, summer opening window, rear sliding ramp, trailer aid, trailer cam, anti-fatigue matting,



Model presented : Icelandic 450 with anthracite grey option and summer opening



Aerodynamic body polyester body



Frame 8 years guarantee

Galvanized frame.



Floor guaranteed for life

Rot-proof and noise-reducing polyethylene floor.



Range Olympium



Range Oblic



Telescopic bars:

Adjustable bars in order to have optimal comfort for all sizes



FAUTRAS opening :

2 rears doors that guides the horse into the entrance, for a smooth loading.



Front rack room:

Large tack room to store all your equipment



Model shown: ICELANDIC OBLIC 350 with Summer Opening option and pearl grey color.


















Summer window:

Big side window that allows access to the horses heads (optional)



Flexible partitions, totally adjustable (optional)

EQUIPMENTS	OLYMPIUM 300	OLYMPIUM 360	OBLIC 350	OBLIC 450	OBLIC 520
					
Amount of horses to be transported (icelandic horses)	2	3	3	4	5
Polyester body made in 1 piece, Lifetime warranty polythylene floor	•	•	•	•	•
Galvanized frame, 8 years warranty	•	•	•	•	•
Front access on the right (tack room access)	•	•	•	•	•
Sliding windows	3	3	3	5	7
Polypropylene side kicks	•	•	•	•	•
Rear doors	2	2	2	2	2
Ventilation on rear doors	2 sliding windows	2 Schiebefenster	2 sliding windows	2 Sliding shutters	2 Sliding shutters
Colors					
Colors available					
Summer window	○	○	○	○	○
Rear sliding ramp	○	○	○	○	○
Spacing rail bar with gastruts	○	○	○	○	○
Camera Pack	○	○	○	○	○
Roof aerators	• (2X)	2	○	○	○
Flexible partitions « Fautras tech » (partitons in 2 parts)	○	○	○	○	○

Key: • standard ○ option - unavailable

	Fitted curb weight (KG)*()	GVWR (kg) (F2 on the Registration certificate)	Length		Width		Height	
DIMENSIONS	2 axles	2 axles	Inside	Outside	Inside	Outside	Inside	Outside
OLYMPIUM 300	940	2000	3,00 m	4,39 m	1,80 m	2,30 m	1,93 m	2,43m
OLYMPIUM 360	1040	2600	3,55 m	4,94 m	1,80 m	2,30 m	1,93 m	2,43 m
OBLIC 350	1 140	2600	3,45 m	4,69 m	1,80 m	2,36 m	1,98 m	2,46m
OBLIC 450	1 630	3000	4,45m	5,70 m	1,80 m	2,36 m	1,98 m	2,46m
OBLIC 520	1 800	3500	5,15 m	6,40 m	1,80 m	2,36 m	1,98 m	2,46m

Dealer

*depending on optionnal equipment)

VANS FAUTRAS

24230 Montcaret FRANCE

